

Goat Treatment Guidelines

**All treatments must be recorded
(even if no milk withholding as there will be a meat withholding).**

Listeria

Symptoms:

Head to one side, walking in circles, flickering eyes

Treatment - Does:

Day 1 -

Day 2 -

Day 3 -

MILK + MEAT Withholding

Mark Goat RED - Milk into Test Bucket

Kids - depends on age / weight but approx 6 weeks of age =
3 months of age =
6 months of age =

If only mild symptoms, treat with 1 ml B Calm (Vitamin B1) as Thiamine Deficiency has same symptoms (if this is the issue, the goat will respond quickly to the B1 - if no improvement after 1 hour, treat with antibiotics)

Diarrhoea / Mastitis

Goats don't generally respond well to treatments. If very unwell and a 'good' doe, treatment can be tried, otherwise better to see if they get better on their own. For diarrhoea, give 1 ml of Covexin vaccine.

Flunixin dehydrates so use with caution on goats with diarrhoea (and remember it has a MEAT Withholding).

Pneumonia

Symptoms:

Snotty nose, rapid breathing, coughing, wheezing

Treatment:

Does -

Kids -

MILK + MEAT Withholding

Mark Goat RED - Milk into Test Bucket

Sore Foot / Infected Hoof

Symptoms:

Limping / Holding Foot / Hot Foot

Treatment -

MILK + MEAT Withholding

Mark Goat Red

Generally Unwell